

LEROAD

Special vehicle



**Professional services
Only for your better driving**



LEROAD

JIAXING LEROAD SPECIAL VEHICLE CO.,LTD.

Address: Building 1, No.1007 Weisheng Road, Xiuzhou District, Jiaxing, Zhejiang Province, China
Website: <http://www.leroadev.com>

 info@leroadev.com

*The characteristics and specifications of the vehicle are subject to change without prior notice. The vehicles in the pictures may include options and accessories that are not available in the standard model. All rights reserved by Leroad Company.



WhatsApp



LEROAD

LEROAD

● ○ ○ ○ Leroad leads a joyful journey



Vision:
Leroad leads a joyful journey.

Mission:
To support flexible and sustainable minimobility with innovative reliable and electrified vehicles.

Value:
Customer First, Driving Change, Proactive Mindset, Accountable Action



Company Profile



www.leroadev.com

JIAXING LEROAD SPECIAL VEHICLE CO., LTD. (LEROAD SPECIAL VEHICLE) is a new energy electric vehicle technology enterprise that specializes in the research and development, design, production, sales and service of electric vehicles, and has gradually grown into a leading enterprise in the field of special vehicles in China.

LEROAD SPECIAL VEHICLE was co-founded by Mr. Chin Jong Hwa, the founder of Minth Group, a world-renowned auto parts supplier, and with a team that has created many world brands and has 30 years of experience in R&D and manufacturing of special vehicles. Always adhering to the business philosophy of "customers'

demand as the orientation, technological innovation as the core, and high quality service as the guarantee", LEROAD SPECIAL VEHICLE regards innovation as the core competitiveness of the enterprise, continuously improves customer satisfaction, and integrate Chairman Chin's advantages in global manufacturing layout and resource platform. We are committed to becoming a high-quality supplier of new energy electric vehicles and achieving the goal of leading the industry in financial performance.

Minth Group, one of the top 100 auto parts companies in the world, was founded in 1992 and listed on the Hong Kong Stock Exchange in December 2005. Minth Group has 4 major product lines: plastic parts, metal body systems, battery housings, and new businesses. It operates five major R&D centers and more than 70 factories all over the world. The group employs nearly 20,000 people and serves more than 60 mainstream automobile brands. Minth Group has customers in more than 30 countries and regions around the world. It has established advanced manufacturing bases around the world. Through modern management models, it has realized large scale production and comprehensive cost advantages to support customers' global development.



LEROAD SPECIAL VEHICLE has a professional R&D team, which can provide services such as design, R&D and program implementation according to the specific needs of customers to meet their individual needs.

LEROAD SPECIAL VEHICLE operates two production facilities with a combined area of approximately 26,000 square meters. These plants are equipped with high-standard automated production workshops and adopted an international management system to ensure production meets the requirements of "high quality, high efficiency and high standards". The key components are all from internationally renowned brand suppliers within the industry,

guaranteeing product safety, reliability and durability of the products from the source.

LEROAD SPECIAL VEHICLE products are distributed across the world's major mainstream markets and exported to more than 20 countries and regions, including North America, Europe, the Middle East, Southeast Asia, South America, and Australia. The company has also established marketing systems and service centers in these key regions.



*The characteristics and specifications of the vehicle are subject to change without prior notice. The vehicles in the pictures may include options and accessories that are not available in the standard model. All rights reserved by Leroad Company



JIAXING LEROAD SPECIAL VEHICLE CO., LTD.
Address: Building 1, No.1007 Weisheng Road,
Xiuzhou District, Jiaxing, Zhejiang Province, China
Website: <http://www.leroadev.com>



Golf carts

07-20

F2-L series

Classic, elegant and flexible

↙

25-34

Utility Cart

Economical and practical, energy saving and environmentally friendly

↘



Utility cart



Optional accessory



Sightseeing cars

21-24

L10/L14 series

Powerful, comfortable and convenient

↙

35-38 ↗

Optional accessory

Multiple choices, free combination



LEROAD SPECIAL VEHICLE inherits 30 years of vehicle manufacturing technology
Examine every detail process with craftsman's spirit
Create every iterative upgrade with hard work
30 years is a milestone and a new starting point
Leroad will continue to adhere to the right path and innovate, and move forward bravely



*The characteristics and specifications of the vehicle are subject to change without prior notice. The vehicles in the pictures may include options and accessories that are not available in the standard model. All rights reserved by Leroad Company

E-mail: info@leroadev.com

JAXING LEROAD SPECIAL VEHICLE CO.,LTD.
Address: Building 1, No.1007 Weisheng Road,
Xiuzhou District, Jiaxing, Zhejiang Province, China
Website: <http://www.leroadev.com>

WHY LEROAD

Ingenuity and craftsman's spirit with extraordinary quality
The whole vehicle has 3000+ parts in precise operation.
All parts are carefully selected



"Lumitech 2.0" headlight
LED headlights,
front running lights, turn signals
Energy saving and
environmentally friendly
and fashionable



Front trunk
Large storage space
Higher Maintainability



Multifunctional steering system
Ergonomic design
Four-Way Steering Wheel
Adjustment
Armrest gear shifter:
DNR Gear& Light control switch



Air Conditioner
Powerful cooling can be
activated with one click



**Foldable
windshield**

**Multifunctional
steering system**

Sand bottle

**Cooler
box**

**McPherson independent
suspension**
Stable MacPherson
independent suspension
Brings you a safer experience

**"Vireon 3.0"
chassis system**
Aluminum alloy chassis,
5 major modular designs,
enhancing your driving
experience

Leroad lithium battery
Stable discharge
performance, long cycle
life, perfect for practical
features of vehicles
·The battery data can be
intelligently monitored through
the mobile APP.

Exquisite design, simple yet elegant, ergonomics all over the car
Technological innovation, environmental protection and energy saving,
new energy has become standard

30 years of research and development experience, smart and rugged
Leroad is not only an electric car, but also a work of art



**Friendly Smart
13INCH Touch Screen HMI**
Intelligent management
system
Entertainment System
Carplay/Android Auto



Precision instrument panel
Left and right cup holders,
front storage box
LCD display, high-definition
display under sunlight,
practical and convenient



Circular electricity meter
Minimalist and clear
display panel
Detailed vehicle operation
information



Motor controller
Adopt dual CPU
processors for
faster processing and
more powerful functions



**Integrated one-piece
front step**
Allows for a natural foot
position for operation
Enables finer and more
responsive control



Please consult Leroad sales personnel for details of optional accessories
in the picture.

GOLF CART

Golf cart series



There is a life called **golf**
There is a golf cart called **Leroad**
On free-riding greenway
When the breeze blows over the greens and through the hair
When the evening glow passes through the treetops
Reflecting the long shadow
You know everything is good
You deserve it
Wonderful life, beautiful travel, all in a Leroad



F2 Where vintage elegance Meets neo utility

Golf cart

- 48V-AC System
- Leroad Lithium Battery
- Optional Lights
(Turn Signals, Headlights, Running Lights)
- Standard -Equipped Aluminum Alloy Wheels
(8 inches)
- Optional Luxury Seats
- Leroad self-developed Onboard Charger
- Optional LCD Display
- Optional AC

• Customized colors



•High-end version

Model Number	F2 Standard			F2+CSA		
Load/size						
Rated Load	200 kg			370 kg		
Curb Weight (Lithium battery)	400 kg			420 kg		
Length	2410 mm			2676 mm		
Width	1226 mm			1226 mm		
Height	1870 mm			1870 mm		
Seating Capacity	2 People			2 People		
Ground Clearance	120 mm			120 mm		
Wheel Base	1660 mm			1660 mm		
Wheel Track Front/Rear	874 mm / 1012 mm			874 mm / 1012 mm		
Tyre	18x8.5-8 (6 Ply), 205/50-10 (6 Ply)					
Dynamic system						
Voltage	Motor		Controller		Battery	Charger
48V	High-Efficiency Three-Phase Asynchronous Motor (4kw/5kw)		Curtis AC Controller (350A/400A)		Lithium Battery (105AH/150AH)	Lithium Battery Charger
Vehicle performance						
Max Speed	Range	Turning Radius	Steering System	Front Suspension	Rear Suspension	Braking System
8-25 km/h	80-100 km	2800 mm	Multifunctional Steering System	Macpherson Independent Suspension	Trailing Arm Torsion Beam Independent Suspension	Mechanical Braking and Foot Brake Parking System
Vehicle color						
Standard Body Color	White, Off-White, Silver, Forest Green, Electric Blue, Dior Red					
Standard Seat Color	Beige					



•F2+CSA



*The characteristics and specifications of the vehicle are subject to change without prior notice. The vehicles in the pictures may include options and accessories that are not available in the standard model. All rights reserved by Leroad Company

E-mail: info@leroadev.com

JAXING LEROAD SPECIAL VEHICLE CO.,LTD.
Address: Building 1, No.1007 Weisheng Road,
Xiuzhou District, Jiaxing, Zhejiang Province, China
Website: <http://www.leroadev.com>



L2 Classic, elegant and smart

Golf cart

- 48V-AC system
- Optional battery (lead-acid battery, lithium battery)
- Optional lights (turn signals, headlights, running lights)
- Optional aluminum alloy wheels (8 inches, 10 inches, 12 inches)
- Optional luxury seats, luxury steering wheel
- Using Leroad's self-developed onboard charger
- Optional LCD display
- Optional electromagnetic parking brake
- AC 4KW, 5KW motor
- Optional controller 350-400A optional American original DC system

• Customized colors



•L2+CSA



•L2 Standard

Model Number	L2 Standard		L2+CSA				
Load/size							
Rated Load	200 kg		370 kg				
Curb Weight (lead-acid battery version)	480 kg		500 kg				
Curb Weight (Lithium battery)	340 kg		360 kg				
Length	2425 mm		2655 mm				
Width	1180 mm		1180 mm				
Height	1780 mm		1780 mm				
Seating Capacity	2 People		2 People				
Ground Clearance	120 mm		120 mm				
Wheel Base	1673 mm		1673 mm				
Wheel Track Front/Rear	880 mm / 970 mm		880 mm / 970 mm				
Tyre	18x8.5-8 (4 Ply)		18x8.5-8 (4 Ply)				
Dynamic system							
Voltage	Motor	Controller	Battery	Charger			
48V	4 KW、5 KW	Leroad Controller	6x8V deep cycle lead-acid batteries /105-160Ah lithium battery	Leroad Charger			
Vehicle performance							
Max Speed	Range	Turning Radius	Steering System	Front Suspension	Rear Suspension	Braking System	Braking distance
8-30 km/h	80-100 km	2900 mm	Two-way Drive Rack And Pinion Steering Gear Box	Macpherson Independent Suspension	Plate Spring of Variable Cross-section And Damper	Rear Wheel Mechanical Brake and Service Brake System	≤ 3000 mm
Vehicle color							
Standard Body Color	Black, White, Ivory, Turquoise, Wormwood Green, Forest Green, Sky Blue, Electric Blue, Golden Deer Color, Dior Red						
Standard Seat Color	Beige						



* The characteristics and specifications of the vehicle are subject to change without prior notice. The vehicles in the pictures may include options and accessories that are not available in the standard model. All rights reserved by Leroad Company

E-mail: info@leroadev.com

JAXING LEROAD SPECIAL VEHICLE CO.,LTD.
Address: Building 1, No.1007 Weisheng Road,
Xiuzhou District, Jiaxing, Zhejiang Province, China
Website: <http://www.leroadev.com>



L2+2 Driving pleasure Enjoyable time

Golf cart

- 48V-AC system
- Optional battery (lead-acid battery, lithium battery)
- Optional lights (turn signals, headlights, running lights)
- Optional aluminum alloy wheels (8 inches, 10 inches, 12 inches)
- Optional luxury seats, luxury steering wheel
- Using Leroad's self-developed onboard charger
- Optional LCD display
- Optional electromagnetic parking brake
- AC 4KW, 5KW motor
- Optional controller 350-400A optional American original DC system

• Customized colors



·L2+2

Model Number	L2+2		L2+Box				
Load/size							
Rated Load	370 kg		320 kg				
Curb Weight (lead-acid battery version)	540 kg		490 kg				
Curb Weight (Lithium battery)	400 kg		350 kg				
Length	2715 mm		2635 mm				
Width	1190 mm		1180 mm				
Height	1900mm		1780mm				
Seating Capacity	4 People		2 People				
Ground Clearance	120 mm		120 mm				
Wheel Base	1673 mm		1673 mm				
Wheel Track Front/Rear	880 mm / 970 mm		880 mm / 970 mm				
Tyre	18x8.5-8 (4 Ply)		18x8.5-8 (4 Ply)				
Dynamic system							
Voltage	Motor	Controller	Battery	Charger			
48V	4 KW、5 KW	Leroad Controller	6x8V deep cycle lead-acid batteries /105-160Ah lithium battery	Leroad Charger			
Vehicle performance							
Max Speed	Range	Turning Radius	Steering System	Front Suspension	Rear Suspension	Braking System	Braking distance
8-30 km/h	80-100 km	2900 mm	Two-way Drive Rack And Pinion Steering Gear Box	Macpherson Independent Suspension	Plate Spring of Variable Cross-section And Damper	Rear Wheel Mechanical Brake and Service Brake System	≤ 3000 mm
Vehicle color							
Standard Body Color	Black, White, Ivory, Turquoise, Wormwood Green, Forest Green, Sky Blue, Electric Blue, Golden Deer Color, Dior Red						
Standard Seat Color	Beige						



·L2+Box



* The characteristics and specifications of the vehicle are subject to change without prior notice. The vehicles in the pictures may include options and accessories that are not available in the standard model. All rights reserved by Leroad Company

E-mail: info@leroadev.com

JIAJING LEROAD SPECIAL VEHICLE CO.,LTD.
Address: Building 1, No.1007 Weisheng Road,
Xiuzhou District, Jiaxing, Zhejiang Province, China
Website: <http://www.leroadev.com>



L2 / L2+2 / L4 / L4+2

Lifted series

Passionate driving
Smart and rugged

Golf cart

- Adopt independent patented appearance design, leading the trend
- The one-piece main beam running through the whole vehicle, and stronger one-piece tailor welding
- Durable and strong climbing performance
- Lifted chassis, more stable driving and more flexible steering
- Self-developed and designed multi-functional storage box
- Self-fault diagnosis system instrumentation for a safer driving
- Optional LCD display
- Optional electromagnetic parking brake
- Optional American original DC system

Customized colors



·L2+2 Lifted



·L2 Lifted



·L4+2 Lifted

Model Number	L2 Lifted		L2+2Lifted		L4+2Lifted		
Load/size							
Rated Load	370 kg		370 kg		540 kg		
Curb Weight (lead-acid battery version)	500 kg		580 kg		660 kg		
Curb Weight (Lithium battery)	360 kg		440 kg		520 kg		
Length	2400 mm		2920 mm		3680 mm		
Width	1180 mm		1200 mm		1210 mm		
Height	1900 mm		2060 mm		2035mm		
Seating Capacity	2 People		4 People		6People		
Wheel Track Front/Rear	1010 mm / 990 mm		1010 mm / 990 mm		1015 mm		
Ground Clearance	150 mm		150 mm		150 mm		
Wheel Base	1673 mm		1673 mm		2453 mm		
Tyre	215/35-12		23×10-14		215/35-12		
Dynamic system							
Voltage	Motor		Controller	Battery		Charger	
48V	4 KW、5 KW		Leroad Controller	6x8V deep cycle lead-acid batteries /105-160Ah lithium battery		Leroad Charger	
Vehicle performance							
Max Speed	Range	Turning Radius	Steering System	Front Suspension	Rear Suspension	Braking System	Braking distance
8-30 km/h	80-100 km	2900 mm	Two-way Drive Rack And Pinion Steering Gear Box	Macpherson Independent Suspension	Plate Spring of Variable Cross-section And Damper	Rear Wheel Mechanical Brake and Service Brake System	≤ 3000 mm
Vehicle color							
Standard Body Color	Black, White, Ivory, Turquoise, Wormwood Green, Forest Green, Sky Blue, Electric Blue, Golden Deer Color, Dior Red						
Standard Seat Color	Red And Black			Red And White			



* The characteristics and specifications of the vehicle are subject to change without prior notice. The vehicles in the pictures may include options and accessories that are not available in the standard model. All rights reserved by Leroad Company

E-mail:
info@leroadev.com

JAXING LEROAD SPECIAL VEHICLE CO.,LTD.
Address: Building 1, No.1007 Weisheng Road,
Xiuzhou District, Jiaxing, Zhejiang Province, China
Website: <http://www.leroadev.com>



L4 Pleasant driving Excellent quality

Golf cart

- 48V-AC system
- Optional battery (lead-acid battery, lithium battery)
- Optional aluminum alloy wheels (8 inches, 10 inches, 12 inches, 14 inches)
- Optional luxury seats, luxury steering wheel
- Using Leroad's self-developed onboard charger
- Optional LCD display, optional electromagnetic parking brake
- AC 4KW, 5KW motor
- Optional controller 350-400A optional American original DC system

· Customized colors



·L4 Standard



·L4+Folding Club Holder



·L4+Upright Club Holder

Model Number	L4 Standard		L4+Upright Club Holder		L4+Folding Club Holder		
Load/size							
Rated Load	370 kg		500 kg		500 kg		
Curb Weight (lead-acid battery version)	580 kg		600 kg		600 kg		
Curb Weight (Lithium battery)	448 kg		468 kg		468 kg		
Length	3190 mm		3740 mm		3740 mm		
Width	1190 mm		1190 mm		1190 mm		
Height	1900 mm		1900 mm		1900 mm		
Seating Capacity	4 People		4 People		4 People		
Ground Clearance	120 mm		120 mm		120 mm		
Wheel Base	2453 mm		2453 mm		2453 mm		
Wheel Track Front/Rear	880 mm / 970 mm		880 mm / 970 mm		880 mm / 970 mm		
Tyre	18×8.5-8 (4 Ply)		18×8.5-8 (6 Ply)		18×8.5-8 (6 Ply)		
Dynamic system							
Voltage	Motor		Controller	Battery		Charger	
48V	4 KW、5 KW		Leroad Controller	6x8V deep cycle lead-acid batteries /105-160Ah lithium battery		Leroad Charger	
Vehicle performance							
Max Speed	Range	Turning Radius	Steering System	Front Suspension	Rear Suspension	Braking System	Braking distance
8-30 km/h	80-100 km	4000 mm	Two-way Drive Rack And Pinion Steering Gear Box	Macpherson Independent Suspension	Plate Spring of Variable Cross-section And Damper	Rear Wheel Mechanical Brake and Service Brake System	≤ 3400 mm
Vehicle color							
Standard Body Color	Black, White, Ivory, Turquoise, Wormwood Green, Forest Green, Sky Blue, Electric Blue, Golden Deer Color, Dior Red						
Standard Seat Color	Beige						



* The characteristics and specifications of the vehicle are subject to change without prior notice. The vehicles in the pictures may include options and accessories that are not available in the standard model. All rights reserved by Leroad Company

E-mail: info@leroadev.com

JAXING LEROAD SPECIAL VEHICLE CO.,LTD.
Address: Building 1, No.1007 Weisheng Road,
Xiuzhou District, Jiaxing, Zhejiang Province, China
Website: <http://www.leroadev.com>



Excellent performance
Practical model

L4+2/L4 Utility Cart

- Golf cart**
- 48V-AC system
 - Optional battery (lead-acid battery, lithium battery)
 - Optional aluminum alloy Wheels (8 inches, 10 inches, 12 inches)
 - Optional luxury seats, luxury steering wheel
 - Using Leroad's self-developed onboard charger
 - Optional LCD display, optional electromagnetic parking brake
 - AC 4KW, 5KW motor
 - Optional controller 350-400A optional American original DC system

• Customized colors



•L4+Container



Model Number		L4+2			L4+Container			
Load/size								
Rated Load		540 kg			490 kg			
Curb Weight (lead-acid battery version)		610 kg			620 kg			
Curb Weight (Lithium battery)		478 kg			578 kg			
Length		3500 mm			3550mm			
Width		1190 mm			1190 mm			
Height		1900 mm			1890mm			
Seating Capacity		6 People			4 People			
Ground Clearance		120 mm			120 mm			
Wheel Base		2453 mm			2453 mm			
Wheel Track Front/Rear		880 mm / 970 mm			880 mm / 960 mm			
Tyre		18x8.5-8 (6 Ply)			18x8.5-8 (6 Ply) 205/50-10 (6 Ply)			
Dynamic system								
Voltage		Motor		Controller	Battery		Charger	
48V		4 KW、5 KW		Leroad Controller	6x8V deep cycle lead-acid batteries /105-160Ah lithium battery		Leroad Charger	
Vehicle performance								
Max Speed		Range	Turning Radius	Steering System	Front Suspension	Rear Suspension	Braking System	Braking distance
8-30 km/h		80-100 km	4000 mm	Two-way Drive Rack And Pinion Steering Gear Box	Macpherson Independent Suspension	Plate Spring of Variable Cross-section And Damper	Rear Wheel Mechanical Brake and Service Brake System	≤ 3400 mm
Vehicle color								
Standard Body Color		Black, White, Ivory, Turquoise, Wormwood Green, Forest Green, Sky Blue, Electric Blue, Golden Deer Color, Dior Red						
Standard Seat Color		Beige						



•L4+2



* The characteristics and specifications of the vehicle are subject to change without prior notice. The vehicles in the pictures may include options and accessories that are not available in the standard model. All rights reserved by Leroad Company

E-mail: info@leroadev.com

JAXING LEROAD SPECIAL VEHICLE CO.,LTD.
Address: Building 1, No.1007 Weisheng Road, Xiuzhou District, Jiaxing, Zhejiang Province, China
Website: <http://www.leroadev.com>



L6/L8

Light and dexterous
Travel freely

Golf cart

- 48V-AC system
- Optional battery (lead-acid battery, lithium battery)
- Optional aluminum alloy wheels (8 inches, 10 inches, 12 inches)
- Optional luxury seats, luxury steering wheel
- Using Leroad's self-developed onboard charger
- Optional LCD display, optional electromagnetic parking brake
- AC 4KW, 5KW motor
- Optional controller 350-400A optional American original DC system

Customized colors



·L6 Standard

Model Number	L6 Standard			L8			
Load/size							
Rated Load	550 kg			650 kg			
Curb Weight (lead-acid battery version)	640 kg			700 kg			
Curb Weight (Lithium battery)	508 kg			568 kg			
Length	3960 mm			4275 mm			
Width	1190 mm			1190 mm			
Height	1900 mm			1900 mm			
Seating Capacity	6 People			8 People			
Ground Clearance	885 mm/ 970 mm			885 mm/ 970 mm			
Wheel Base	120 mm			120 mm			
Wheel Track Front/Rear	3240 mm			3240 mm			
Tyre	18×8.5-8 (6 Ply)			18×8.5-8 (6 Ply)			
Dynamic system							
Voltage	Motor		Controller	Battery		Charger	
48V	4 KW、5 KW		Leroad Controller	6x8V deep cycle lead-acid batteries /105-160Ah lithium battery		Leroad Charger	
Vehicle performance							
Max Speed	Range	Turning Radius	Steering System	Front Suspension	Rear Suspension	Braking System	Braking distance
8-30 km/h	80-100 km	5000 mm	Two-way Drive Rack And Pinion Steering Gear Box	Macpherson Independent Suspension	Plate Spring of Variable Cross-section And Damper	Rear Wheel Mechanical Brake and Service Brake System	≤ 4000 mm
Vehicle color							
Standard Body Color	Black, White, Ivory, Turquoise, Wormwood Green, Forest Green, Sky Blue, Electric Blue, Golden Deer Color, Dior Red						
Standard Seat Color	Beige						



·L8 Standard



* The characteristics and specifications of the vehicle are subject to change without prior notice. The vehicles in the pictures may include options and accessories that are not available in the standard model. All rights reserved by Leroad Company

E-mail: info@leroadev.com

JAXING LEROAD SPECIAL VEHICLE CO.,LTD.
Address: Building 1, No.1007 Weisheng Road,
Xiuzhou District, Jiaxing, Zhejiang Province, China
Website: <http://www.leroadev.com>



L14

Powerful
efficient and convenient

L series sightseeing car

- Leroad AC 72V, 7.5KW motor
- Full car sheet metal, lights, high-end car audio
- Optional battery (lead-acid battery, lithium battery)
- Using Leroad's self-developed onboard charger
- Optional luxury massage seat
- Optional adjustable steering wheel
- Electronic Power Steering System
- Optional welcome light
- Optional cooler



·L14 Sightseeing Car

· Customized colors



·L14 with Closed Door



·L14 with Rain Curtain



Model Number	L14 Sightseeing Car		L14 with Closed Door		L14 with Rain Curtain		
Load/size							
Rated Load	1190 kg		1090 kg		1190 kg		
Length	5400 mm		5400 mm		5400 mm		
Width	1900 mm (with rearview mirror) 1590 mm (without rearview mirror)		1900 mm (with rearview mirror) 1590 mm (without rearview mirror)		1900 mm (with rearview mirror) 1590 mm (without rearview mirror)		
Height	2050 mm		2050 mm		2050 mm		
Seating Capacity	14 People		14 People		14 People		
WheelTrackFront/Rear	1314 mm / 1300 mm		1314 mm / 1300 mm		1314 mm / 1300 mm		
Ground Clearance	130 mm		130 mm		130 mm		
Wheel Base	2641 mm		2641 mm		2641 mm		
Tyre	165/70R13C		165/70R13C		165/70R13C		
Dynamic system							
Voltage	Motor		Controller	Battery		Charger	
72V	7.5 KW		Leroad Controller	12x6V deep cycle 200Ah lead-acid batteries/230Ah lithium battery		Leroad Charger	
Vehicle performance							
Max Speed	Range	Turning Radius	Steering System	Front Suspension	Rear Suspension	Braking System	Braking distance
8-29 km/h	80-100 km	6000 mm	Bi-directional Push Gear and Rack Steering Box	Macpherson Independent Suspension	Plate Spring of Variable Cross-section And Damper	Rear Wheel Mechanical Brake and Service Brake System	≤ 6000 mm
Vehicle color							
Standard Body Color	Blue And White, White						
Standard Seat Color	Beige						



* The characteristics and specifications of the vehicle are subject to change without prior notice. The vehicles in the pictures may include options and accessories that are not available in the standard model. All rights reserved by Leroad Company

E-mail: info@leroadev.com

JAXING LEROAD SPECIAL VEHICLE CO.,LTD.
Address: Building 1, No.1007 Weisheng Road,
Xiuzhou District, Jiaxing, Zhejiang Province, China
Website: <http://www.leroadev.com>



Economical and practical
Energy saving and environmentally friendly

L2 Hauler

Utility cart

- 48V AC system
- Optional cargo box (aluminum alloy cargo box, wooden cargo box, cargo deck)
- The one-piece main beam running through the whole vehicle, and stronger one-piece tailor welding
- Optional aluminum alloy wheels (8 inches, 10 inches)
- Optional battery (lithium battery, lead-acid battery)
- Using Leroad's self-developed onboard charger
- AC 4KW, 5KW motor
- Optional controller 350-400A optional American original DC system

· Customized colors



·Shuttle 2 Aluminum cargo box
Aluminum cargo box size: 1478*1145*270mm



·Shuttle 2 Wooden cargo box
Wooden cargo box size: 1505*1180*310mm



·Shuttle 2 cargo deck
Cargo deck size: 1735*1160*350mm

Model Number	Shuttle 2 Aluminum cargo box		Shuttle 2 Wooden cargo box		Shuttle 2 Cargo deck		
Load/size							
Rated Load	390 kg		390 kg		390 kg		
The container is heavy	240 kg		240 kg		240 kg		
Curb Weight (lead-acid battery version)	630 kg		590 kg		680 kg		
Curb Weight (Lithium battery)	500 kg		460 kg		550 kg		
Length	3290 mm		3325 mm		3580 mm		
Width	1204 mm		1204 mm		1204 mm		
Height	1790 mm		1790 mm		1790 mm		
Container Volume	426 L		550 L		704 L		
Seating Capacity	2 People		2 People		2 People		
Wheel Track Front/Rear	880 mm/ 970 mm		880 mm/ 970 mm		880 mm/ 970 mm		
Ground Clearance	120 mm		120 mm		120 mm		
Wheel Base	2453 mm		2453 mm		2453 mm		
Tyre	18×8.5-8 (6 Ply)		18×8.5-8 (6 Ply)		18×8.5-8 (6 Ply)		
Dynamic system							
Voltage	Motor		Controller	Battery		Charger	
48V	4 KW、 5 KW		Leroad Controller	6x8V deep cycle lead-acid batteries /105-160Ah lithium battery		Leroad Charger	
Vehicle performance							
Max Speed	Range	Turning Radius	Steering System	Front Suspension	Rear Suspension	Braking System	Braking distance
8-30 km/h	80-100 km	4000 mm	Two-way Drive Rack And Pinion Steering Gear Box	Macpherson Independent Suspension	Plate Spring of Variable Cross-section And Damper	Rear Wheel Mechanical Brake and Service Brake System	≤ 3500 mm
Vehicle color							
Standard Body Color	Black, White, Ivory, Turquoise, Wormwood Green, Forest Green, Sky Blue, Electric Blue, Golden Deer Color, Dior Red						
Standard Seat Color	Beige						



LEROAD

* The characteristics and specifications of the vehicle are subject to change without prior notice. The vehicles in the pictures may include options and accessories that are not available in the standard model. All rights reserved by Leroad Company



E-mail: info@leroadev.com

JIAxing LEROAD SPECIAL VEHICLE CO.,LTD.
Address: Building 1, No.1007 Weisheng Road, Xiuzhou District, Jiaxing, Zhejiang Province, China
Website: http://www.leroadev.com



Versatile and efficient storage

Shuttle 2 Van Box

Utility cart

- 48V-AC system
- Optional battery (lead-acid battery, lithium battery)
- Aluminum alloy cargo box (optional container size)
- Optional aluminum alloy wheels (8 inches, 10 inches)
- Using Leroad's self-developed onboard charger
- Beige white cargo box
- AC 4KW, 5KW motor
- Optional controller 350-400A optional American original DC system



Optional cargo box size:
1740*1132*1122mm
1640*1134*1300mm
1420*1132*1122mm



Flexible convenient and durable

Vending cart

Utility cart

- 48V-AC system
- Optional aluminum alloy wheels (8 inches, 10 inches)
- Can seat 2 people
- Optional LED headlights
- 37Lx4 insulated boxes
- Stainless steel container
- Coffee pot, storage box, dustbin, food closet
- AC 4KW, 5KW motor
- Optional controller 350-400A optional American original DC system




Optional cargo box size:1350*1140*1040mm

Model Number	Shuttle 2 Van Box (big cargo box)		Shuttle 2 Van Box (small cargo box)		Shuttle 2 Van Box (five doors and three drawers)		
Load/size							
Rated Load	390 kg		390 kg		390 kg		
Curb Weight (lead-acid battery version)	740 kg		685 kg		680 kg		
Curb Weight (Lithium battery)	600 kg		553 kg		548 kg		
Length	3215 mm		2895 mm		3025 mm		
Width	1210 mm		1210 mm		1210 mm		
Height	1760 mm		1760 mm		1940 mm		
Seating Capacity	2 People		2 People		2 People		
Wheel Track Front/Rear	880 mm/ 970 mm		880 mm/ 970 mm		880 mm/ 970 mm		
Ground Clearance	120 mm		120 mm		120 mm		
Wheel Base	2453 mm		2453 mm		2453 mm		
Tyre	18×8.5-8(6 Ply)		18×8.5-8(6 Ply)		18×8.5-8(6 Ply)		
Dynamic system							
Voltage	Motor		Controller	Battery		Charger	
48V	4 KW、5 KW		Leroad Controller	6x8V deep cycle lead-acid batteries /105-160Ah lithium battery		Leroad Charger	
Vehicle performance							
Max Speed	Range	Turning Radius	Steering System	Front Suspension	Rear Suspension	Braking System	Braking distance
8-30 km/h	80-100 km	4000 mm	Two-way Drive Rack And Pinion Steering Gear Box	Macpherson Independent Suspension	Plate Spring of Variable Cross-section And Damper	Rear Wheel Mechanical Brake and Service Brake System	≤ 3500 mm
Vehicle color							
Standard Body Color	Black, White, Ivory, Turquoise, Wormwood Green, Forest Green, Sky Blue, Electric Blue, Golden Deer Color, Dior Red						
Standard Seat Color	Beige						

Model Number	Vending Cart			
Dynamic system				
Voltage	Motor	Controller	Battery	Charger
48V	4 KW、5 KW	Leroad Controller	6x8V deep cycle lead-acid batteries /105-160Ah lithium battery	Leroad Charger
Load/size	Vehicle performance			
Curb Weight	780 kg		Max Speed	8-30 km/h
Rated Load	320 kg		Range	80-100 km
Length	3390 mm		Turning Radius	4000 mm
Width	1210 mm		Steering System	Two-way Drive Rack And Pinion Steering Gear Box
Height	1780 mm		Front Suspension	Macpherson Independent Suspension
Seating Capacity	2 People		Rear Suspension	Plate Spring of Variable Cross-section and Damper
Wheel Track Front/Rear	885 mm / 970 mm		Braking System	Rear Wheel Mechanical Brake and Service Brake System
Ground Clearance	120 mm		Braking distance	≤ 3500 mm
Wheel Base	2453 mm			
Tyre	18×8.5-8 (6 Ply) 205/50-10 (6 Ply)			
Vehicle color				
Standard Body Color	Black, White, Ivory, Turquoise, Wormwood Green, Forest Green, Sky Blue, Electric Blue, Golden Deer Color, Dior Red			
Standard Seat Color	Beige			



* The characteristics and specifications of the vehicle are subject to change without prior notice. The vehicles in the pictures may include options and accessories that are not available in the standard model. All rights reserved by Leroad Company



JAXING LEROAD SPECIAL VEHICLE CO.,LTD.
Address: Building 1, No.1007 Weisheng Road,
Xiuzhou District, Jiaxing, Zhejiang Province, China
Website: <http://www.leroadev.com>



Security Escort
Security Patrol

L2/L4 Patrol car

Specialized vehicle series

- 48V-AC system
- Optional lights (turn signals, headlights, running lights)
- Optional battery (lead-acid battery, lithium battery)
- Optional aluminum alloy wheels (8 inches, 10 inches, 12 inches)
- Optional luxury seats
- Police call system
- AC 4KW, 5KW motor
- Optional controller 350-400A optional American original DC system

· Customized colors



· L2 Patrol Car

Model Number	L2 Patrol Car			L4 Patrol Car			
Load/size							
Rated Load	200 kg			370 kg			
Curb Weight (lead-acid battery version)	490 kg			620 kg			
Curb Weight (Lithium battery)	350 kg			480 kg			
Length	2425 mm			3190 mm			
Width	1180 mm			1190 mm			
Height	1960 mm			2000 mm			
Seating Capacity	2 People			4 People			
Wheel Track Front/Rear	880 mm / 970 mm			880 mm / 970 mm			
Ground Clearance	120 mm			120 mm			
Wheel Base	1673 mm			2453 mm			
Tyre	18×8.5-8 (4 Ply)			18×8.5-8 (4 Ply)			
Dynamic system							
Voltage	Motor		Controller	Battery		Charger	
48V	4 KW、5 KW		Leroad Controller	6x8V deep cycle lead-acid batteries /105-160Ah lithium battery		Leroad Charger	
Vehicle performance							
Max Speed	Range	Turning Radius	Steering System	Front Suspension	Rear Suspension	Braking System	Braking distance
8-30 km/h	80-100 km	4000 mm	Two-way Drive Rack And Pinion Steering Gear Box	Macpherson Independent Suspension	Plate Spring of Variable Cross-section And Damper	Rear Wheel Mechanical Brake and Service Brake System	≤ 3500 mm
Vehicle color							
Standard Body Color	White						
Standard Seat Color	Beige						



· L4 Patrol Car



* The characteristics and specifications of the vehicle are subject to change without prior notice. The vehicles in the pictures may include options and accessories that are not available in the standard model. All rights reserved by Leroad Company

E-mail: info@leroadev.com

JAXING LEROAD SPECIAL VEHICLE CO.,LTD.
Address: Building 1, No.1007 Weisheng Road,
Xiuzhou District, Jiaxing, Zhejiang Province, China
Website: <http://www.leroadev.com>



Powerful functions to save lives
and extinguish fires in early stages

Firefighting Car

Specialized vehicle series

- Gasoline engine high pressure water pump (65mm)
- Electric high pressure water pump
- Fire extinguisher, gas mask, scissors, crowbar
- Hose, shovel, ax
- Standard reversing camera system
- Optional aluminum alloy wheels (8 inches, 10 inches)
- Optional American original DC system
- Police call system

Customized colors



• Firefighting Car (with water tank)

Model Number	Firefighting Car			
Dynamic system				
Voltage	Motor	Controller	Battery	Charger
48V	4 KW、5 KW	Leroad Controller	6x8V deep cycle lead-acid batteries /105-160Ah lithium battery	Leroad Charger
Load/size	Vehicle performance			
Curb Weight	840 kg	Max Speed	8-30 km/h（Optional）	
Rated Load	170 kg	Range	80-100 km	
Length	3260 mm	Turning Radius	4000 mm	
Width	1210 mm	Steering System	Bi-directional Push Gear and Rack Steering Box	
Height	1920 mm (With Lights)	Front Suspension	Macpherson Independent Suspension	
Seating Capacity	2 People	Rear Suspension	Plate Spring of Variable Cross-section and Damper	
Wheel Track Front/Rear	880 mm / 960 mm	Braking System	Rear Wheel Mechanical Brake and Service Brake System	
Ground Clearance	120 mm	Braking distance	≤ 3500 mm	
Wheel Base	2465 mm			
Tyre	18×8.5-8（6 Ply） 205/50-10（6 Ply）			
Vehicle color				
Standard Body Color	Fire Red			
Standard Seat Color	Beige			



•Firefighting Car (without water tank)



*The characteristics and specifications of the vehicle are subject to change without prior notice.The vehicles in the pictures may include options and accessories that are not available in the standard model
All rights reserved by Leroad Company

E-mail:
info@leroadev.com

JAXING LEROAD SPECIAL VEHICLE CO.,LTD.
Address: Building 1, No.1007 Weisheng Road,
Xiuzhou District, Jiaxing, Zhejiang Province, China
Website: http://www.leroadev.com



Mobile and agile for professional rescue Ambulance

Specialized vehicle series

- 48V-AC system
- Stretcher, first aid kit
- Optional battery (lead-acid battery, lithium battery)
- Optional aluminum alloy tires (8 inches, 10 inches, 12 inches)
- Optional luxury seats
- Police call system
- AC 4KW, 5KW motor
- Optional controller 350-400A optional American original DC system

• Customized colors



• Ambulance

Model Number	Ambulance			
Dynamic system				
Voltage	Motor	Controller	Battery	Charger
48V	4 KW、5 KW	Leroad Controller	6x8V deep cycle lead-acid batteries /105-160Ah lithium battery	Leroad Charger
Load/size	Vehicle performance			
Curb Weight	600 kg	Max Speed	8-30 km/h（Optional）	
Rated Load	260 kg	Range	80-100 km	
Length	3065 mm	Turning Radius	2900 mm	
Width	1280 mm	Steering System	Bi-directional Push Gear and Rack Steering Box	
Height	2000 mm (With Lights)	Front Suspension	Macpherson Independent Suspension	
Seating Capacity	2 People	Rear Suspension	Plate Spring of Variable Cross-section and Damper	
Wheel Track Front/Rear	880 mm / 960 mm	Braking System	Rear Wheel Mechanical Brake and Service Brake System	
Ground Clearance	120 mm	Braking distance	≤ 3500 mm	
Wheel Base	1673 mm			
Tyre	18×8.5-8 (6 Ply) 205/50-10 (6 Ply)			
Vehicle color				
Standard Body Color	White			
Standard Seat Color	Beige			



• Ambulance



* The characteristics and specifications of the vehicle are subject to change without prior notice. The vehicles in the pictures may include options and accessories that are not available in the standard model. All rights reserved by Leroad Company

E-mail: info@leroadev.com

JAXING LEROAD SPECIAL VEHICLE CO., LTD.
Address: Building 1, No.1007 Weisheng Road,
Xiuzhou District, Jiaxing, Zhejiang Province, China
Website: <http://www.leroadev.com>

Optional Accessories

Battery

LITHIUM
BATTERY

·lithium Battery (48v 105ah)

Golf Cart Optional Battery





·Lithium battery
(48V 150Ah)



·American Trojan
battery
(lead-acid battery)



·Maintenance-free
gel battery
(lead-acid battery)

Sightseeing Car optional Battery



·Lithium battery
(230Ah)



·American Trojan
battery
(lead-acid battery)



·Maintenance-free
gel battery
(lead-acid battery)

·Please consult Leroad sales personnel for details of optional accessories in the picture.

Seat Cushion

·Monochrome luxury seats



·Two-tone luxury seats



·Standard seat



*The characteristics and specifications of the vehicle are subject to change without prior notice. The vehicles in the pictures may include options and accessories that are not available in the standard model. All rights reserved by Leroad Company

E-mail: info@leroadev.com

JAXING LEROAD SPECIAL VEHICLE CO.,LTD.
Address: Building 1, No.1007 Weisheng Road,
Xiuzhou District, Jiaxing, Zhejiang Province, China
Website: <http://www.leroadev.com>

Optional Accessories

Wheels

8-INCH



8-inch 6-ply tire

12-INCH



12-inch 4-ply tire
(215/35-12)

14-INCH



14-inch 4-ply tire
(225/30-14)

10-INCH



10-inch 6-ply tire



12-inch 4-ply tire
(22*11-12)



14-inch 4-ply tire
(23*10-14)



*Please consult Leroad sales personnel for details of optional accessories in the picture.

Wheel rim

8-INCH



8-inch aluminum rim



8-inch aluminum rim



8-inch aluminum rim

10-INCH



10-inch aluminum rim



10-inch black painted silver
wheel face spokes
14-spoke aluminum rim



10-inch black painted silver
wheel spokes
8-spoke aluminum rim

12-INCH



12-inch black painted silver
wheel face spokes
8-spoke aluminum rim



12-inch black painted
silver-faced spoke
8-spoke aluminum rim



12-inch black painted
red surface spoke
8-spoke aluminum rim



12-inch black painted and
blue car surface spoke
6-spoke aluminum rim



12-inch copper-colored
baked enamel spokes
6-spoke aluminum rim

14-INCH



14-inch black painted
silver wheel spokes
8-spoke aluminum rim



14-inch black painted
silver wheel spokes
8-spoke aluminum rim



14-inch black painted
silver-faced spoke
8-spoke aluminum rim




14-inch gray baked
enamel spoke
8-spoke aluminum rim



14-inch black painted
red wheel face spokes
6-spoke aluminum rim



* The characteristics and specifications of the vehicle are subject to change without prior notice. The vehicles in the pictures may include options and accessories that are not available in the standard model. All rights reserved by Leroad Company



JAXING LEROAD SPECIAL VEHICLE CO., LTD.
Address: Building 1, No.1007 Weisheng Road,
Xiuzhou District, Jiaxing, Zhejiang Province, China
Website: <http://www.leroadev.com>

Optional Accessories

Windshield



·Folding Windshield



·Flat Windshield

Power Display



·LCD Display Screen



·SOC Meter


Vehicle Color



· Black · White · Ivory · Turquoise · Wormwood Green · Forest Green · Sky Blue · Electric Blue · Golden Deer Color · Dior Red

*Please consult Leroad sales personnel for details of optional accessories in the picture.

Other Accessories

			
·Standard Steering Wheel	·Luxury Carbon Fiber Style Steering Wheel	·Carbon Fiber D-shaped Steering Wheel	·Carbon Fiber D-Shaped Steering Wheel
			
·Sand Bottle	·Ball Washer	·Cooler Box	·Seat Belt
			
·Folding Club Holder	·Upright Club Holder	·Rearview Mirror (With Turn Signal)	·Bluetooth Speaker
			
·Rain Cover	·Golf Bag Cover	·Brake Disc	